

# THE UNITED STRAILES OF ANTERIOA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

## Pioneer Hi-Bred International, Inc.

Whereas, there has been presented to the

Secretary of Agriculture

An application requesting a certificate of protection for an alleged distinct variety of sexually reproduced, or tuber propagated plant, the name and description of which are contained in the application and exhibits, a copy of which is hereunto annexed and made a part hereof, and the various requirements of LAW in such cases made and provided have been complied with, and the title thereto is, from the records of the PLANT VARIETY PROTECTION OFFICE, in the applicant(s) indicated in the said copy, and Whereas, upon due examination made, the said applicant(s) is (are) adjudged to be entitled to a certificate of plant variety protection under the LAW.

Now, therefore, this certificate of plant variety protection is to grant unto the said applicant(s) and the successors, heirs or assigns of the said applicant(s) for the term of TWENTY years from the date of this grant, subject to the payment of the required fees and periodic replenishment of viable basic seed of the variety in a public repository as provided by LAW, the right to exclude others from selling the variety, offering it for sale, or reproducing it, or importing it, or exporting it, or conditioning it for pagation, or stocking it for any of the above purposes, or using it in producing a hybrid or different to the extent provided by the PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS DED, 7 U.S.C. 2321 ET SEQ.)

CORN, FIELD


'PHE4N'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-ninth day of September, in the year two thousand and ten.

Attest:

Commissioner

Plant Variety Protection Office Agricultural Marketing Service Recurded Vilsel



REPRODUCE LOCALLY. Include form number and date on all reproductions Form Approved - OMB No. 0581-0055 U.S. DEPARTMENT OF AGRICULTURE The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE the Paperwork Reduction Act (PRA) of 1995. Application is required in order to determine if a plant variety protection certificate is to be issued APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426). (Instructions and information collection burden statement on reverse) 1 NAME OF OWNER 2 TEMPORARY DESIGNATION OR 3. VARIETY NAME EXPERIMENTAL NAME Pioneer Hi-Bred International, Inc. PHE4N 5. TELEPHONE (include area code) 4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) FOR OFFICIAL USE ONLY **PVPO NUMBER** 515/270-4051 #200700309 7301 NW 62<sup>nd</sup> Avenue 6. FAX (include area code) Johnston, IA 50131-0085 FILING DATE 515/253-2125 May 7, 2007 IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF 8. IF INCORPORATED, GIVE 9. DATE OF INCORPORATION ORGANIZATION (corporation, partnership, association, etc.) STATE OF INCORPORATION lowa Corporation March 5, 1999 FILING AND EXAMINATION FEES: 10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers) \$ 4382.00 DATE 5/7/07 CERTIFICATION FEE: Steven R. Anderson Research and Product Development P.O. Box 85 1004 Johnston, IA 50131-0085 1004 DATE 5/14/10 E 12. FAX (Include area code) 11. TELEPHONE (Include area code) 13. E-MAIL

515/270-4051	515/253-2125	steven.anderson@pioneer.com
14. CROP KIND (Common Name)  Corn  15. GENUS AND SPECIES NAME OF CROP  Zea Mays	16. FAMILY NAME (Botanical)  Gramineae  17. IS THE VARIETY A FIRST GENERATION HYBRID?  □ YES ☑ NO	18. DOES THE VARIETY CONTAIN ANY TRANSGENES? (OPTIONAL)  ☐ YES ☑ NO  IF SO, PLEASE GIVE THE ASSIGNED USDA-APHIS REFERENCE NUMBER FOR THE APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERICALIZATION.
repository) g.   Filing and Examination Fee (\$4,382), m States* (Mail to the Plant Variety Protes	of the Variety  ety  Variety (Optional)  e Owner's Ownership  d seeds or, for tuber propagated varieties, posited and maintained in an approved public  lade payable to "Treasurer of the United  ction Office)	20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act)  □ YES (if "yes", answer items 21 and 22 below) ☑ NO (if "no", go to item 23)  21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES?  □ YES □ NO  IF YES, WHICH CLASSES? □ FOUNDATION □ REGISTERED □ CERTIFIED  22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS?  □ YES □ NO  IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS.  □ FOUNDATION □ REGISTERED □ CERTIFIED  (If additional explanation is necessary, please use the space indicated on the reverse.)
23. HAS THE VARIETY (INCLUDING ANY HARV FROM THIS VARIETY BEEN SOLD, DISPOS	/ESTED MATERIAL) OR A HYBRID PRODUCED ED OF, TRANSFERRED, OR USED IN THE U. S. OR	24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)?

25. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate.

The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act.

Owner(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.

IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE

FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)

SIGNATURE OF OWNER		SIGNATURE OF OWNER	ien Randener
NAME (Please print or type)	The first par	NAME (Please print or type)	ven R. Anderson
CAPACITY OR TITLE	DATE	Research Scientist	5-4-2007

IF YES. PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED

REFERENCE NUMBER. (Please use space indicated on reverse.)

Ø YES □ NO

### 200700309

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (in the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (See Section 97.6 of the Regulations and Rules of Practice.) NEW: With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety per se, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. DO NOT use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (See Section 101 of the Act, and Sections 97.130.97.131, 97.175(h) of the Regulations and Rules of Practice.)

**Plant Variety Protection Office** 

Telephone: (301) 504-5518 FAX: (301) 504-5291

General E-mail: PVPOmail@usda.gov

Homepage: http://www.ams.usda.gov/science/pvpo/PVPindex.htm

### SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870. http://www.ams.usda.gov/lsg/seed.htm.

### 19a Give:

(1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;

(2) the details of subsequent stages of selection and multiplication;

(3) evidence of uniformity and stability; and

(4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified

- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
  - (1) identify these varieties and state all differences objectively;
  - (2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
  - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d.Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
- 20. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 22. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 23. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.)

  \* See attach ment letter

February, 2006 (United States), November 1, 2006 (Canada, France)

24. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)
USPTO 1/31/2007 Application No. 11/669,297 Patent No. 7569753

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status or familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, DC 20250-9410 or call (800) 795-3272 (voice) or (202) 720-6382125 (TDD). USDA is an equal opportunity provider and employer.





DuPont Agriculture & Nutrition Crop Genetics Research & Development Research Center 7300 N.W. 62nd Ave. P.O. Box 1004 Johnston, IA 50131-1004 (515) 270-3200 Tel

May 26, 2010

Janice Strachan Plant Variety Protection Office NAL Building, Room 400 10301 Baltimore Blvd. Beltsville, MD 20705-2351

RE: PVP Field Corn Application No. 200700309, 'PHE4N'

Dear Janice Strachan:

This is in response to your letter dated May 13, 2010 and provides clarification for the information provided in Box 23. I would like to clarify and ask that you consider this additional information in regard to the date of Feb. 2006 listed in Box 23. This variety was new according to section 42 (a) (1) of the U.S Plant Variety Protection Act. On the date of filing of the application for plant variety protection, propagating or harvested material of the variety was not sold or otherwise disposed of to other persons for purposes of exploitation of the variety more than 1 year prior to the date of filing in the United States.

Based on these facts, the date listed in February 2006 was for a purpose other than the commercial exploitation of the variety.

Landerson

PHE4N was the parent of three pre-commercial experimental hybrids first evaluated during the 2006 crop year under a Product Transfer and Evaluation Agreement with a one year term, effective February 9, 2006. Only hybrid seed was provided. The agreement required that the hybrids may be grown, "solely for evaluation", and required that Pioneer be provided a copy of the data and conclusions. No license or right in the hybrids was conveyed or granted under the agreement. We do not believe this constitutes commercial exploitation of the hybrid.

Regards,

Steven R. Anderson Research Scientist

Pioneer Hi-Bred International

Germplasm Security and Protection

Maize Product Development

2010 MAY 28 AW 11:13

### Exhibit A. Origin and Breeding History for PHE4N

Pedigree: PH5WB/PH705)XA711322X

Pioneer Line PHE4N, Zea mays L., a yellow endosperm corn inbred, was developed by Pioneer Hi-Bred International, Inc. from the single cross hybrid PH5WB (Certificate No. 200100254) X PH705 (Certificate No. 200200180) using the pedigree method of plant breeding. Varieties PH5WB and PH705 are proprietary inbred lines of Pioneer Hi-Bred International, Inc. Selfing was practiced from the above hybrid for 8 generations using pedigree selection. During line development, crosses were made to inbred testers for the purpose of estimating the line's combining ability. Yield trials were grown at Princeton, Illinois as well as other Pioneer research locations. After initial testing, additional hybrid combinations have been evaluated and subsequent generations of the line have been grown and hand-pollinated with observations again made for uniformity.

Variety PHE4N has shown uniformity and stability for all traits as described in Exhibit C - "Objective Description of Variety". It has been self-pollinated and ear-rowed 6 generations with careful attention paid to selection criteria and uniformity of plant type to assure genetic homozygosity and phenotypic stability. The line has been increased both by hand and in isolated fields with continued observations for uniformity and stability, and for 5 generations during the final stages of inbred development and seed multiplication. Very high standards for genetic purity have been established morphologically using field observations and using sound lab molecular marker methodology.

No variant traits have been observed or are expected in PHE4N.

The criteria used in the selection of PHE4N were yield, both per se and in hybrid combinations. Late season plant health, grain quality, stalk lodging resistance, and kernel size are especially important in production and were also important criteria considered during selection. Other selection criteria include: ability to germinate in adverse conditions, disease and insect resistance, pollen yield and tassel size.



Exhibit A: Developmental History for PHE4N

Pedigree Grown Season/Year	Inbreeding Level of Pedigree Grown
PH5WB Summer 1998	F0
PH705 Summer 1998	F0
PH5WB/PH705 1998	FI
PH5WB/PH705)X Summer 1999	F2
PH5WB/PH705)XA7 Summer 2000	F3
PH5WB/PH705)XA71 Summer 2001	F4
PH5WB/PH705)XA711 Winter 2001	F5
PH5WB/PH705)XA7113 Summer 2002	F6
PH5WB/PH705)XA71132 Winter 2002	F7
PH5WB/PH705)XA711322 Summer 2003	F8
PH5WB/PH705)XA711322X	F9 (SEED)

<sup>\*</sup>PHE4N was selfed and ear-rowed from F3 through F8 generation.

#Uniformity and stability were established from F4 through F8 generation and beyond when seed supplies were increased.

### **Exhibit B: Novelty Statement**

Variety PHE4N mostly resembles Pioneer Hi-Bred International, Inc. proprietary inbred line PH5WB (PVP Certificate No. 200100254). Table 1 shows two sample t-tests on data collected primarily in Johnston and Dallas Center, Iowa in 2005 and 2006. The traits collectively show measurable differences between the two varieties.

Exhibit B: Novelty Statement

Variety PHE4N has a smaller cob diameter (19.9 mm vs 22.2 mm) than variety PH5WB (Table 1).

Variety PHE4N has a shorter ear length (16.4 cm vs 18.7 cm) than variety PH5WB (Table 1).

Variety PHE4N has more primary tassel branches (4.9 vs 0.8) than variety PH5WB (Table 1).

# Exhibit B: Novelty Statement Table(s)

Table 1: Data from Johnston and Dallas Center, Iowa in 2005 and 2006 presented by trait, across years, and broken out by year. Data are supporting evidence environmental conditions. Environments had different planting dates and were in different fields. A two-sample t-test was used to compare differences for differences between PHE4N and PH5WB. Varieties were grown at 2 locations in 2005 and 3 locations in 2006 where each location had different between means.

Cob diameter (mm)	ter (mm)																
Level	Station	Year	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
Over All			PHE4N	PH5WB	25	25	19.9	22.2	-2.3	0.600	1.190	0.120	0.238	48	-8.7	0.000	
Year		2005	PHE4N	PH5WB	10	10	20.0	22.1	-2.1	0.471	0.994	0.149	0.314	18	-6.0	0.000	
Year		2006	PHE4N	PH5WB	15	15	19.8	22.3	-2.5	0.676	1.335	0.175	0.345	28	-6.4	0.000	
Ear length (cm)	(cm)																
Level	Station	Year	Year Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
Over All			PHE4N	PH5WB	25	25	16.4	18.7	-2.3	1.083	1.173	0.217	0.235	48	-7.1	0.000	
Year		2005	PHE4N	PH5WB	10	10	17.0	18.9	-1.9	1.155	1.197	0.365	0.379	18	-3.6	0.002	
Year		2006	PHE4N	PH5WB	15	15	16.1	18.6	-2.5	0.884	1.183	0.228	0.306	28	-6.6	0.000	
Tassel prin	Tassel primary branch (# of primary branches)	of primary	branches)														
Level	Station	Year	Variety-1	Variety-2	Cnt-1	Cnt-2	Mean-1	Mean-2	Mean_Diff	StDev-1	StDev-2	StErr-1	StErr-2	DF	t-Value	Prob_Pool	
Over All			PHE4N	PH5WB	25	25	4.9	0.8	4.1	1.913	0.707	0.383	0.141	48	10.1	0.000	
Year		2005	PHE4N	PH5WB	10	10	3.5	9.0	2.9	1.650	0.699	0.522	0.221	18	5.1	0.000	
Year		2006	PHE4N	PH5WB	15	15	5.9	6.0	4.9	1.457	0.704	0.376	0.182	28	11.8	0.000	

# United States Department of Agriculture, Agricultural Marketing Service Science and Technology, Plant Variety Protection Office National Agricultural Library Building, Room 400 Beltsville, MD 20705-2351 OBJECTIVE DESCRIPTION OF VARIETY CORN (Zea mays L.)

Name of Applicant(s)		I Va	ariety Seed S	Source		l Va	ariety Na	me or Te	mpo	rary De	esigna	tion	
Pioneer Hi-Bred Intern	national, Inc	1				I Ph	HE4N						
	or R.F.D. No., City, State, Zi			I	FOR OFFICIAL	LUSE		1	PV	PO Nui	mber		П
7301 NW 62nd Avenue	e, P.O. Box 85, Johnston, Id	owa 50131	-0085	Ī				#2	0	07	0	0 3	(
adding leading zeroes i	number that describes the val f necessary. Completeness s for an adequate variety descr	should be s	triven for to	establish									
COLOR CHOICES (Us	e in conjunction with Munsell	color code	to describe	all color	choices; describe	#25 a	nd #26 i	n Comm	ents	section	1):		
01. Light Green	06. Pale Yellow	11. Pink		16. Pa	le Purple	21.	Buff		26. 0	Other (D	Describ	oe)	
02. Medium Green	07. Yellow	12. Light	Red	17. Pu	rple	22.	Tan						
03. Dark Green	08. Yellow-Orange	13. Cher	ry Red	18. Co	lorless	23.	Brown						
04. Very Dark Green	09. Salmon	14. Red		19. WI	nite	24.	Bronze						
05. Green-Yellow	10. Pink-Orange	15. Red	& White	20. W	hite Capped	25.	Variegate	ed (Desc	ribe)				
STANDARD INBRED (	CHOICES [Use the most sim	ilar (in back	ground and	maturity)	of these to make	comp	arisons l	based or	gro	w-out tr	ial dat	a]:	
Yellow Dent Families:		Yellow Den	t (Unrelated)	):		Swe	et Corn:						
Family M	embers	Co	109, ND246				C13, I	owa512	5, P3	9, 2132	2		
B14 C	M105, A632, B64, B68	Oh'	7, T232										
B37 B3	37, B76, H84	W1	17, W153R			Pop	corn:						
B73 N	192, A679, B73, Nc268	W1	82BN				SG	1533, 47	22, ł	HP301,	HP72	11	
C103 M	o17, Va102, Va35, A682												
Oh43 A	619, MS71, H99, Va26	White	Dent:			Pipe	ecorn:						
WF9 W	/64A, A554, A654, Pa91	CI6	66, H105, Ky	228			Mo15	W, Mo16	SW, N	Mo24W			
	termediate types in "Commer 2=Dent, 3=Flint, 4=Flour, 5=			Pipecorn	)	1 S 1	Standard 3 Ty		lame		B73		
	DEVELOPED IN THE U.S.A. t, 2=N.Central, 3=N.East, 4=		S.Central, 6=	S.West,	7=Other		Standard Region	Seed Se	ource	9	PI 550	)473	
3. MATURITY (In Rec	gion Best Adaptability; show I	Heat Unit fo	ormula in "Co	mments	" section):	1							
DAYS H	EAT UNITS					1	0	AYS	1	HEAT (	JNITS		
60	1,369.0 From emergence	to 50% of p	lants in silk			1		62		1	436.4		
59	1,324.6 From emergence	to 50% of p	olants in polle	en		1		61		1	397.4		
2	43 From 10% to 90%	pollen she	ed			1		2			59		
	From 50% silk to	optimum ed	dible quality			1							
	From 50% silk to I	harvest at 2	25% moisture	9		1							
4. PLANT:			S	t.Dev.	Sample Size	1	Me	ean	S	t.Dev.	Sam	ple Si	ze
217.2 cm Plant I	Height (to tassel tip)			20.27	25	1	24	1.4		9.35			25
63.4 cm Ear He	eight (to base of top ear node	e)		9.96	25	1	10	3.0		10.28		. 8	25
14.6 cm Lengtl	h of Top Ear Internode			1.50	<u>25</u>	1	.1	6.6		1.71			25
0.0 Average N	Number of Tillers			0.00	<u>5</u>	1		0.0		0.00			5
1.0 Average N	Number of Ears per Stalk			0.05	<u>5</u>	1		1.1		0.07			5
4 Anthocya	nin of Brace Roots: 1=Absen	t, 2=Faint,	3=Moderate,	4=Dark		1		3					

Page 1

Standard Inbred Data

Application Variety Data

- Telephone						
. LEAF		St.Dev.	Sample Size 1	Mean	St.Dev.	Sample Siz
7.9	cm Width of Ear Node Leaf	0.67	<u>25</u> I	9.0	0.68	2
78.3	cm Length of Ear Node Leaf	6.33	<u>25</u> I	86.9	3.91	2
	Number of leaves above top ear	0.69	<u>25</u> I	6.2	0.76	2
	Degrees Leaf Angle	4.63	<u>25</u> I	27.4	4.60	2
	(Measure from 2nd leaf above ear at anthesis to			-		_
4	Leaf Color (Munsell Code) 5GY36		i	4 (Munsel	II Code) 7.50	3Y34
	Leaf Sheath Pubescence (Rate on scale from 1	=none to 9=like neach	fuzz) I	4		3101
2	Marginal Waves (Rate on scale from 1=none to		1	-		
_	Longitudinal Creases (Rate on scale from 1=nor		i	_		
_	Longitudinal oreases (Nate on Soule nom 1-non	io to o many)		-		
TASSEL		St.Dev.	Sample Size I	Mean	St.Dev.	Sample Size
4.9	Number of Primary Lateral Branches	1.91	<u>25</u> I	7.5	1.53	2
33.0	Degrees Branch Angle from Central Spike	9.06	<u>25</u> I	21.6	8.43	2
	cm tassel Length	4.23	<u>25</u> I	56.2	3.25	2
	(from top leaf collar to tassel tip)					-
5	Pollen Shed (Rate on scale from 0=male sterile	to 9=heavy shed)	Î.	5		
	Anther Color (Munsell Code) 7.5R66		ř.		II Code) 5Y8	54
	Glume Color (Munsell Code) 5GY66		·	_	Il Code) 5GY	
	Bar Glumes (Glume Bands): 1=Absent, 2=Prese	ent	1	<u>2</u> (Munse	0000) 001	
1	Dai Giullies (Giullie Dalius). 1-Auseitt, 2-Flesi	one		T.		
a. EAR (L	Inhusked Data):		, I			
6	Silk Color (3 days after emergence) (Munsell C	code) 10	Y96	1 Munsel	II Code 2.50	3Y94
	Fresh Husk Color (25 days after 50% silking) (I		SY6B	2 Munsel	W. Street Street	
	Dry Husk Color (65 days after 50% silking) (Mu		YR92	21 Munsel	I Code 2.5	78.54
	Position of Ear at Dry Husk Stage: 1=Upright, 2		The second secon	2	_	
A.C.	Husk Tightness (Rate on scale from 1=very loc			<u></u>		
F				-		
		osed), 2=Medium (<8ci	m), 3=Long (8-	3		
	Husk Extension (at harvest): 1=Short(ears expo 10cm beyond ear tip), 4=Very Long (>10cm)	osed), 2=Medium (<8ci	m), 3=Long (8-	3		
2	Husk Extension (at harvest): 1=Short(ears expo 10cm beyond ear tip), 4=Very Long (>10cm)	osed), 2=Medium (<8cr	Ţ	3 Mean	St.Dev.	Sample Size
b. EAR (H	Husk Extension (at harvest): 1=Short(ears expense)		Sample Size 1		St.Dev. 0.64	
o. EAR (H	Husk Extension (at harvest): 1=Short(ears expended to 10cm beyond ear tip), 4=Very Long (>10cm) Husked Ear Data) Com Ear Length	St. Dev. 1.08	Sample Size I	Mean 14.1	0.64	2
b. EAR (H 16.4 38.2	Husk Extension (at harvest): 1=Short(ears expended to the second to the	St. Dev. 1.08 1.68	Sample Size   25   25	Mean 14.1 46.3	0.64 1.97	<u>2</u> 2
o. EAR (H 16.4 38.2 107.9	Husk Extension (at harvest): 1=Short(ears expended to the second to the	St. Dev. 1.08 1.68 17.04	Sample Size I 25 I 25 I 25 I	Mean	0.64 1.97 19.59	2 2 2
20. EAR (H 16.4 38.2 107.9	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm) Husked Ear Data) Com Ear Length Com Ear Diameter at mid-point Com Ear Weight Number of Kernel Rows	St. Dev. 1.08 1.68	Sample Size   25   25	Mean	0.64 1.97	2 2 2
2. EAR (H 16.4 38.2 107.9 13.9	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  Come Ear Length  Come Ear Length  Come Ear Diameter at mid-point  Come Ear Weight  Down Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct	St. Dev. 1.08 1.68 17.04 1.47	Sample Size I 25 I 25 I 25 I	Mean  14.1  46.3  131.4  18.0  2	0.64 1.97 19.59	2 2 2
5. EAR (H 16.4 38.2 107.9 13.9	Husk Extension (at harvest): 1=Short(ears expended to the proof of the	St. Dev.  1.08 1.68 17.04 1.47 3=Spiral	Sample Size   25   25   25   25   1	Mean  14.1  46.3  131.4  18.0  2  2	0.64 1.97 19.59 1.41	2 2 2 2
5. EAR (H 16.4 38.2 107.9 13.9 8.8	Husk Extension (at harvest): 1=Short(ears expended to the beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  I cm Ear Length  I mm Ear Diameter at mid-point  I gm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, and cm Shank Length	St. Dev.  1.08 1.68 17.04 1.47 3=Spiral 2.08	Sample Size I 25 I 25 I 25 I	Mean  14.1  46.3  131.4  18.0  2  10.3	0.64 1.97 19.59	Sample Size
D. EAR (H 16.4 38.2 107.9 13.9 8.8	Husk Extension (at harvest): 1=Short(ears expended to the proof of the	St. Dev.  1.08 1.68 17.04 1.47 3=Spiral 2.08	Sample Size   25   25   25   25   1	Mean  14.1  46.3  131.4  18.0  2  2	0.64 1.97 19.59 1.41	2 2 2 2
2. EAR (H 16.4 38.2 107.9 13.9 8.8	Husk Extension (at harvest): 1=Short(ears expension 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  I cm Ear Length  I mm Ear Diameter at mid-point  I gm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved,  cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly contains	St. Dev.  1.08 1.68 17.04 1.47 3=Spiral 2.08	Sample Size   25   25   25   25   1	Mean  14.1  46.3  131.4  18.0  2  10.3	0.64 1.97 19.59 1.41	2 2 2 2 2
2. EAR (H 16.4 38.2 107.5 13.5 8.8 2	Husk Extension (at harvest): 1=Short(ears expension 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  I cm Ear Length  I mm Ear Diameter at mid-point  I me Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved,  Cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly contact	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev.	Sample Size   25   25   25   25     25	Mean  14.1  46.3  131.4  18.0  2  10.3  2  Mean	0.64 1.97 19.59 1.41 2.19	2 2 2 2 2 2 2 Sample Siz
2. EAR (H 16.4 38.2 107.9 13.9 8.8 KERNEI	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  It cm Ear Length  It mm Ear Diameter at mid-point  It mm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, and cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly contact  (Dried):  mm Kernel Length	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57	Sample Size   25   25   25   25   1   25   1   25   1	Mean  14.1  46.3  131.4  18.0  2  10.3  2  Mean  11.2	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76	2 2 2 2 2 2 2 Sample Siz
2 EAR (H 16.4 38.2 107.9 13.9 8.8 EKERNEI 10.9 8.1	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  Come Ear Length  Come Ear Length  Come Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, 2 cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly come.  (Dried):  Come Minimum Kernel Length  Come Minimum Kernel Width	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76	Sample Size   25   25   25   25   1   25   25	Mean  14.1  46.3  131.4  18.0  2  10.3  2  Mean  11.2  7.3	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56	Sample Siz
EAR (H 16.4 38.2 107.9 13.9 8.8 KERNEI 10.9 8.1	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  Come Ear Length  Ear Diameter at mid-point  Ear Meight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, 2 cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  (Dried):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):  Ear Meight  Ear Taper: 1=Slight cyl., 2=Average slightly colored):	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91	Sample Size I  25   25   25   25   25   1   25     Sample Size I  25   25   25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71	Sample Size
D. EAR (H 16.4 38.2 107.9 13.9 8.8 2 KERNEI 10.9 8.1 5.1	Husk Extension (at harvest): 1=Short(ears expert 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  Come Ear Length  Ear Meight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, 2 cm Shank Length  Ear Taper: 1=Slight cyl., 2=Average slightly color  (Dried):  mm Kernel Length  mm Kernel Width  mm Kernel Width  mm Kernel Thickness  Row Round Kernels (Shape Grade)	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76	Sample Size   25   25   25   25   1   25   25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51	Sample Si
2. EAR (H 16.4 38.2 107.9 13.9 8.8 2 KERNEI 10.9 8.1 5.1	Husk Extension (at harvest): 1=Short(ears experiments of the second form of the second fo	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76  gregating (describe)	Sample Size I  25   25   25   25   25   1   25     Sample Size I  25   25   25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descril	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51	Sample Size
2. EAR (H 16.4 38.2 107.9 13.9 8.8 2 KERNEI 10.9 8.1 5.1	Husk Extension (at harvest): 1=Short(ears experiments of the second forms of the secon	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76  gregating (describe) 10YR814	Sample Size I  25   25   25   25   25   1   25     Sample Size I  25   25   25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descrit  7 Munsel	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be)	2 2 2 2 2 2 2 3 2 2 3 2 2 2 2 2 2 2 2 2
D. EAR (H 16.4 38.2 107.9 13.9 8.8 4 KERNEI 10.9 8.1	Husk Extension (at harvest): 1=Short(ears experiments), 4=Very Long (>10cm)  Husked Ear Data)  Husked Ear Data  Husked E	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714	Sample Size   25   25   25   25   25   25   25   2	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descril 7 Munsel 7 Munsel	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be)	Sample Size
b. EAR (H 16.4 38.2 107.9 13.9 8.8 2 . KERNEI 10.9 8.1 5.1 44.6	Husk Extension (at harvest): 1=Short(ears experiments of the second forms of the secon	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Star	Sample Size     25     25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descrit  7 Munsel	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be)	2 2 2 2 2 2 Sample Siz 2 2 2
b. EAR (H 16.4 38.2 107.9 13.9 8.8 2 . KERNEI 10.9 8.1 5.1 44.6	Husk Extension (at harvest): 1=Short(ears experiments), 4=Very Long (>10cm)  Husked Ear Data)  Husked	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral  2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Starsin, 7=High Lysine, 8=S	Sample Size     25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descrit  7 Munsel  7 Munsel  3 (descrit	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be) Il Code 2 Il Code 1 be)	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
0. EAR (H 16.4 38.2 107.9 13.9 8.8 6 10.9 8.1 10.9 8.1 10.9	Husk Extension (at harvest): 1=Short(ears experiments), 4=Very Long (>10cm)  Husked Ear Data)  Husked	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Star	Sample Size     25     25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descril 7 Munsel 7 Munsel	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be)	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
b. EAR (H 16.4 38.2 107.9 13.9 8.8 2 . KERNEI 10.9 8.1 5.1 44.6 2 28.2	Husk Extension (at harvest): 1=Short(ears experion 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  It cm Ear Length  It mm Ear Diameter at mid-point  It gm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, and Companies and Com	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Startin, 7=High Lysine, 8=S  2.17  St.Dev.	Sample Size     25     25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descrift  7 Munsel  7 Munsel  3 (descrift  27.0  Mean	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be) Il Code1 be) St.Dev	2: 2: 2: 2: 3: 2: 3: 3: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5: 5:
D. EAR (H 16.4 38.2 107.9 13.9 KERNEI 10.9 8.1 5.1 44.6 2 28.2	Husk Extension (at harvest): 1=Short(ears experion 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  It cm Ear Length  It mm Ear Diameter at mid-point  It gm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, and Companies and Com	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76  gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Startin, 7=High Lysine, 8=S  2.17  St.Dev. 0.60	Sample Size     25	Mean	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be) Il Code 1 be) 2.35 St.Dev 0.95	2: 2: 2: 2: 2: 3: 2: 3: 3: 5Y812 0YR712  Sample Siz
b. EAR (H 16.4 38.2 107.9 13.9 . KERNEI 10.9 8.1 5.1 44.6 2 28.2	Husk Extension (at harvest): 1=Short(ears experion 10cm beyond ear tip), 4=Very Long (>10cm)  Husked Ear Data)  It cm Ear Length  It mm Ear Diameter at mid-point  It gm Ear Weight  Number of Kernel Rows  Kernel Rows: 1=Indistinct, 2=Distinct  Row Alignment: 1=Straight, 2=Slightly Curved, and Companies and Com	St. Dev.  1.08 1.68 17.04 1.47  3=Spiral 2.08 n., 3=Extreme conical  St.Dev. 0.57 0.76 0.91 12.76 gregating (describe) 10YR814 10YR714 et(sh2), 3=Normal Startin, 7=High Lysine, 8=S  2.17  St.Dev.	Sample Size     25     25	Mean  14.1  46.3  131.4  18.0  2  2  10.3  2  Mean  11.2  7.3  4.4  30.8  1 (descrift  7 Munsel  7 Munsel  3 (descrift  27.0  Mean	0.64 1.97 19.59 1.41 2.19 St.Dev. 0.76 0.56 0.71 6.51 be) Il Code 1 be) 2.35 St.Dev 0.95	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Application Var	iety	Data
-----------------	------	------

_			
$\Box$	2	~	0

10. DISEASE RESISTANCE (Rate from 1(most susceptible) to 9 (most resistant); leave blank	Ì	
if not tested; leave Race or Strain Options blank if polygenic):	Ī	
A. Leaf Blights, Wilts, and Local Infection Diseases	Ţ	
_ Anthracnose Leaf Blight (Colletotrichum graminicola)	Ī	_ Anthracnose Leaf Blight
6 Common Rust (Puccinia sorghi)	Ī	Common Rust
9 Common Smut (Ustilago maydis)	I	_ Common Smut
Eyespot (Kabatiella zeae)	I	Eyespot
Goss's Wilt (Clavibacter michiganense spp. nebraskensis)	Ĩ	Goss's Wilt
5 Gray Leaf Spot (Cercospora zeae-maydis)	1	3 Gray Leaf Spot
_ Helminthosporium Leaf Spot (Bipolaris zeicola) Race	Ţ	_ Helminthosporium Leaf Spot Race_
5 Northern Leaf Blight (Exserohilum turcicum) Race	1	3 Northern Leaf Blight Race_
Southern Leaf Blight (Bipolaris maydis) Race	1	Southern Leaf Blight Race_
Southern Rust (Puccinia Polysora)	1	Southern Rust
5 Stewart's Wilt (Erwinia stewartii)	Ī	5 Stewart's Wilt
Other (Specify)	į	Other (Specify)
Systemic Diseases	1	
Corn Lethal Necrosis (MCMV and MDMV)	Ĩ	Corn Lethal Necrosis
9 Head Smut (Sphacelotheca reiliana)	ţ	9 Head Smut
_ Maize Chlorotic Dwarf Virus (MCDV)	1	_ Maize Chlorotic Dwarf Virus
_ Maize Chlorotic Mottle Virus (MCMV)	Ĩ	_ Maize Chlorotic Mottle Virus
Maize Dwarf Mosaic Virus (MDMV) Strain	1	Maize Dwarf Mosaic Virus Strain_
_ Sorghum Downy Mildew of Corn (Peronosclerospora sorghi)	1	_ Sorghum Downy Mildew of Corn
Other (Specify)	1	Other (Specify)
. Stalk Rots	1	
5 Anthracnose Stalk Rot (Colletotrichum graminicola)	1	4 Anthracnose Stalk Rot
_ Diplodia Stalk Rot (Stenocarpella maydis)	1	_ Diplodia Stalk Rot
_ Fusarium Stalk Rot (Fusarium moniliforme)	Ī	_ Fusarium Stalk Rot
5 Gibberella Stalk Rot (Gibberella zeae)	1	_ Gibberella Stalk Rot
Other (Specify)	1	Other (Specify)
Ear and Kernel Rots	1	
_ Aspergillus Ear and Kernel Rot (Aspergillus flavus)	Ĩ	_ Aspergillus Ear & Kernel Rot
4 Diplodia Ear Rot (Stenocarpella maydis)	1	3 Diplodia Ear Rot
7 Fusarium Ear and Kernel Rot (Fusarium moniliforme)	1	7 Fusarium Ear & Kernel Rot
Gibberella Ear Rot (Gibberella zeae)	1	Gibberella Ear Rot
Other (Specify)	1 (	Other (Specify)

Note: Use chart on first page to choose color codes for color traits.

11. INSECT RESISTANCE (Rate from 1(most susceptible) to 9 (most resistant); Leave blank	!	Ot David Cample C
if not tested St. Dev. Sample Size	1	St. Dev. Sample S
Banks Grass Mite (Oligonychus pratensis)		_ Banks Grass Mite
Corn Earworm (Helicoverpa zea)	- 1	Corn Earworm
_ Leaf Feeding	- 1	_ Leaf Feeding
Silk Feeding, _mg larval wt	1	
_ Ear Damage	1	_ Ear Damage
Corn Leaf Aphid (Rhopalosiphum maidis)	1	_ Corn Leaf Aphid
Corn Sap Beetle (Carpophilus dimidiatus)	1	_ Corn Sap Beetle
European Corn Borer (Ostrinia nubilalis)	1	European Corn Borer
1 st Generation (Typically Whorl Leaf Feeding)	1	1 st Generation
2 nd Generarion (Typically Leaf Sheath-Collar Feeding)	1	_ 2 nd Generation
Stalk Tunneling:cm tunneled/plant	1	
Fall Armyworm (Spodoptera frugiperda)	1	Fall Armyworm
_ Leaf-Feeding	1	_ Leaf-Feeding
Silk-Feedingmg larval wt.	1	
Maize Weevil (Sitophilus zeamais)	1	_ Maize Weevil
Northern Rootworm (Diabrotica barberi)	1	_ Northern Rootworm
Southern Rootworm (Diabrotica undecimpunctata)	1	_ Southern Rootworm
Southwestern Corn Borer (Diatraea grandiosella)	1	Southwestern Corn Borer
Leaf Feeding	1	_ Leaf Feeding
Stalk Tunneling: cm tunneled/plant	1	_
Two-spotted Spider Mite (Tetranychus urticae)	1	Two-spotted Spider Mite
Western Rootworm (Diabrotica virgifera virgifera)	1	_ Western Rootworm
Other (Specify)	1	Other (Specify)
12. AGRONOMIC TRAITS:	1	
5 Stay Green (at 65 days after anthesis) (Rate on scale from 1=worst to 9=excellent)	1	3 Stay Green
% Dropped Ears (at 65 days after anthesis)	1	% Dropped ears
% Pre-anthesis Brittle Snapping	1	_ % Pre-anthesis Brittle Snapping
14 % Pre-anthesis Root Lodging	1	6 % Pre-anthesis Root Lodging
% Post-anthesis Root Lodging (at 65 days after anthesis)	3	Post-anthesis Root Lodging
5,327.0 Kg/ha Yield of Inbred Per Se (at 12-13% grain moisture)	1	<u>5,538.0</u> Yield
13. MOLECULAR MARKERS: (0=data unavailable; 1=data available but not supplied; 2=data su	upplied.)	
1 Isozymes _ RFLP's _ RAPD's	_ 0	Other (Specify)
REFERENCES:		
Butler, D.R. 1954. A System for the Classification of Corn Inbred Lines. PhD Thesis, Ohio University		
Emerson, R.A., G.W. Beadle, and A.C. Fraser, 1935. A summary of Linkage Studies in Maize.		
Farr, D.F., G.F. Bills, G.P. Chamuris, A.Y. Rossman. 1989. Fungi on Plant Products in the United	ed States	. The American Phytopathological
Society, St. Paul, MN.		
Inglett, G.E. (Ed) 1970. Corn: Culture, Processing, Products. Avi Publishing Company, Westpoi	nt, CT.	
Jugenheimer, R.W. 1976. Corn: Improvement, Seed Production, and Uses. John Wiley & Sons,	New Yo	rk.
McGee, D.C. 1988. Maize Diseases. APS Press, St. Paul, MN. 150 pp.		
Munsell Color Chart for Plant Tissues. Macbeth. P.O. Box 230. Newburgh, N.Y. 12551-0230		
The Mutants of Maize. 1968. Crop Science Society of America. Madison, WI.		
Shurtleff, M.C. 1980. Compendium of Corn Diseases. APS Press, St. Paul, MN. 105 pp.		
Sprague, G.F., and J.W. Dudley (Editors). 1988. Corn and Corn Improvement, Third Edition. Ag Madison, WI.	ronomy I	Monograph 18. ASA, CSSA, SSSA,
Stringfield, G.H. Maize Inbred Lines of Ohio A.E.S., Bul. 831. 1959.		
U.S. Department of Agriculture 1936, 1937. Yearbook.		

COMMENTS (e. g. state how heat units were calculated, standard inbred seed source, and/or where data was collected. Continue in Exhibit D) Insect, disease, brittle snapping and root lodging data are collected mainly from environment where variability for the trait can be obtained within the experiment.

### CLARIFICATION OF DATA IN EXHIBITS B AND C

Please note the data presented in Exhibit B and C, "Objective Description of Variety," are collected primarily at Johnston and Dallas Center, Iowa. The data in Table 1 are from two sample t-tests using data collected in Johnston and Dallas Center, IA. These traits in exhibit B collectively show distinct differences between the two varieties.

Our experimental design was set up in a typical complete block design commonly used in agricultural corn research experiments with one replication grown at each location. The experiment procedures generally involve three locations/environments with different planting dates, planted in 17.42 ft. rows with 2 rows for each variety. Approximately 24-30 plants emerged in each of 2 rows for a total of around 48 to 60 plants being evaluated at each location and 144 to 180 plants across locations. For plant level traits, we sampled 5 representative plants from the 2 rows of the 2 row plot (group) of plants at each location. For plot level traits we evaluated the 2 row plot (group) and gave a representative score or average on the 48-60 plants in the group within an experiment. One of the 3 locations was dropped in 2005 due to poor emergence and field conditions.

Month	GRO	WING DEGRE	E UNITS (GI	DU's)		PRECIPITAT	ION (Inches)	
Month	20	05	20	06	20	05	20	06
	D. Center	Johnston	D. Center	Johnston	D. Center	Johnston	D. Center	Johnston
May	356	388	390	460	5.04	6.63	1.23	1.22
June	677	729	643	667	1.52	6.85	0.37	1.08
July	711	788	779	816	2.84	5.02	5.19	5.39
August	626	725	671	754	2.31	1.98	5.85	4.7
September	526	585	361	417	2.01	2.81	4.59	3.98
TOTAL	2896	3215	2844	3114	13.72	23.29	17.23	16.37

YEAR	PLANTING DATES		
	DC	JH-1	JH-2
2005	6-May	3-May	10-May
2006	12-May	4-May	10-May

### Calculate GDU's

Growing Degree Units use the following formula: GDU = ((T1+T2)/2)-50

- Where T1 = minimum temperature for a given day with 50 degrees Fahrenheit as the minimum temperature used and 86 degrees Fahrenheit is the maximum temperature used.
- Where T2 = maximum temperature for a given day with 86 degrees Fahrenheit as the maximum temperature used and 50 degrees Fahrenheit is the minimum temperature used.

GDU"s are calculated each day and accumulated (summed) over certain number of days.

NOTE: In general, cases where less than 10 observations are presented the trait was collected at the plot level as it has been done in the past. This means many more plants were visually evaluated according to the procedure outlined above, and then a score of the "population" of the plants was recorded for each location. We have adjusted our current process to sample at least 15 plants for plant-level traits at a location.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14<sup>th</sup> and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal employment opportunity provider and employer.

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal employment opportunity provide and employer.

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE SCIENCE AND TECHNOLOGY PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MD 20705

EXHIBIT F
DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	TEMPORARY OR EXPERIMENTAL DESIGNATION	
Pioneer Hi-Bred International, Inc.	7301 NW 62 <sup>nd</sup> Avenue Johnston, IA 50131-0085	VARIETY NAME PHE4N	
NAME OF OWNER REPRESENTATIVE (S)	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country)	FOR OFFICIAL USE ONLY	
Steven R. Anderson	7301 NW 62 <sup>nd</sup> Avenue Johnston, IA 50131-0085	#200700309	

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.

Signature

Date